



# HUDSON

## LIFTING LIMITED

material handling solutions



Hire • Sales • Service • Testing



[www.hudsonlifting.co.uk](http://www.hudsonlifting.co.uk)

## Welcome to Hudson Lifting Limited!

We've been providing exceptional Hire, Sales, Service and Testing Solutions in the **Lifting Equipment Rental Industry** since **2018** and have an award-winning Senior Team with decades of experience in the sector.

### Hire:

It's our core offering. Our experts deliver you peace of mind, compliance and experience to go with a wide range of modern, fully-maintained and regularly-serviced **Lifting, Material Handling and Height Safety equipment**.

### Sales:

We **ONLY** work with the best, to give you the best choice of **Lifting Equipment** to buy. Our supplier network includes **Tractel, Genie, George Taylor, Hi-Force (HES), CMCO and William Hackett** – to name but a few!

### Service & Testing:

Need LEEA- or LOLER-standard servicing, testing, or repairing of your own equipment? Look no further, Hudson Lifting has the qualified professionals to assist you.

### Solutions:

We are more than just one-off hires! Our experienced and expert teams offer bespoke, tailored and task-specific **Lifting, Material Handling and Height Safety Equipment Solutions** too, from sourcing site-based engineers, or designing and executing a complex lifting operation.

We deliver quality systems and processes as standard and as per BS EN ISO 9001: 2015 and BS EN ISO 14001:2015.

Our thousands of customers trust us to provide the best lifting, material handling and height safety equipment solutions, and we take that trust seriously.

Get in touch with us today and discover how Hudson Lifting Limited can support your operations.



## Contents

<b>Hoisting</b>	<b>3</b>	<b>Safety</b>	<b>44</b>
<b>Hauling</b>	<b>9</b>	<b>Load Measurement</b>	<b>50</b>
<b>Jacking</b>	<b>13</b>	<b>Cradles &amp; Cranes</b>	<b>54</b>
<b>Slings</b>	<b>18</b>	<b>Account Application</b>	<b>56</b>
<b>Tackle</b>	<b>18</b>	<b>Terms &amp; Conditions</b>	<b>57</b>
<b>Material Handling</b>	<b>24</b>	<b>Product Index</b>	<b>58</b>
<b>Access</b>	<b>39</b>		



## PRE-HIRE CHECKLIST

**Our pre-hire checklist is available to ensure you hire the correct equipment for the job.**

Hudson Lifting Limited, as a supplier, with fully maintained equipment allows you, the end user, to focus your efforts on other areas.

With the knowledge that your lifting gear requirements are being met by a team of experts you can rest assured that your material handling tasks are being assisted using safe, quality, time-tested products.

### **How to navigate your way around our brochure:**

Please refer to the product link with each product for associated tackle for your required equipment. There is also a product index to enable you to source the equipment directly.

1. What is the maximum weight of the load?
2. What height of lift or length of rope do you require?
3. Do you have an adequate and safe suspension/anchorage point?
4. Have you considered any restrictions that may affect the equipment you choose - height, weight, width?
5. Have you assessed the location where the equipment is to be used?
6. What power supply do you have available?
7. Do you require any further equipment?



# HOISTING



- Hand Operated Chain Blocks
- Electric Chain Blocks
- Portable Hoists - Minifors
- Air Operated Hoists
- Lever Operated Hoists
- Tirak Mobile Winch
- Girder Clamps/Trolleys
- Builder/Scaffold Hoists
- Plate Lifting Clamps
- Quick Release Shackles
- Rack & Pinion Hoist



## HAND OPERATED CHAIN BLOCKS

- 0.5t - 50t SWL
- 3m-90m Height of lift (Dependant on SWL)
- Heavy duty
- Report of Thorough Examination supplied

**PRODUCT LINK:** *SLINGS • SHACKLES • GIRDER CLAMPS • GIRDER TROLLEYS*

## ELECTRIC CHAIN BLOCKS



- 0.25t - 10t SWL
- 3m-90m Height of lift (Dependant on SWL)
- 110V-220V-415V availability
- Modern design
- Heavy duty
- Remote control available
- Report of Thorough Examination supplied

**PRODUCT LINK:** *SLINGS • SHACKLES • GIRDER CLAMPS • GIRDER TROLLEYS*

## PORTABLE HOISTS - MINIFORS



- 0.3t - 1t SWL
- 3m-200m Height of lift
- Remote control available
- Powered travel trolleys available
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** *SLINGS • SHACKLES • GIRDER CLAMPS • GIRDER TROLLEYS*



## AIR OPERATED HOISTS



- 0.5t - 50t SWL
- 3m-90m Height of lift
- Heavy duty, continuous use
- Report of Thorough Examination supplied

**PRODUCT LINK:** [SLINGS](#) • [SHACKLES](#) • [GIRDER CLAMPS](#) • [GIRDER TROLLEYS](#)


## LEVER OPERATED HOISTS



- 0.5t - 10t SWL
- Suitable for lifting and hauling operations
- 1.5m height of lift as standard
- Ratchet design
- Longer lengths (height of lift) available upon request
- Report of Thorough Examination supplied

**PRODUCT LINK:** [SLINGS](#) • [SHACKLES](#) • [GIRDER CLAMPS](#) • [GIRDER TROLLEYS](#)

## TIRAK MOBILE WINCH



- 1t - 3t SWL
- Suitable for lifting and hauling operations
- Heavier loads can be accommodated with snatch block utilisation
- Ideal for lift shaft maintenance and cable pulling
- 415V - 3ph - 50Hz
- Unlimited heights of lift available
- Report of Thorough Examination supplied

**PRODUCT LINK:** [SLINGS](#) • [SHACKLES](#) • [GIRDER CLAMPS](#) • [GIRDER TROLLEYS](#)



## GIRDER CLAMPS



- 1t - 20t SWL
- Easy installation
- Suitable for lifting and hauling operations
- Adjustable to accommodate beam dimensions
- Report of Thorough Examination supplied

**PRODUCT LINK:** [SLINGS](#) • [SHACKLES](#) • [CHAIN BLOCKS](#) • [LEVER HOISTS](#)

## GIRDER TROLLEYS (PUSH/GEARED)



- 1t - 15t SWL
- Easy installation
- Adjustable to accommodate beam dimensions
- Geared travel option available
- Report of Thorough Examination supplied

**PRODUCT LINK:** [SLINGS](#) • [SHACKLES](#) • [CHAIN BLOCKS](#) • [LEVER HOISTS](#)

## SCAFFOLD HOIST



- 200kg SWL
- 110V
- Easy to Erect
- Extremely versatile
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** [WEBBING SLINGS](#) • [SHACKLES](#) • [CHAIN SLINGS](#) • [WHEELBARROW CHAIN SLING](#)





## BUILDERS HOIST



- 300kg, 500kg & 950kg SWL
- 415V (300kg available in 110V)
- Easy to Erect
- Extremely versatile
- Report of Thorough Examination supplied

**PRODUCT LINK:** [WEBBING SLINGS](#) • [SHACKLES](#) • [CHAIN SLINGS](#) • [WHEELBARROW CHAIN SLING](#)

## PLATE LIFTING CLAMPS



- 0.5t - 10t SWL
- 0 - 50mm plate suitability
- Vertical and horizontal operation available
- Report of Thorough Examination supplied

**PRODUCT LINK:** [WIRE ROPES](#) • [SHACKLES](#) • [FIBRE SLINGS](#) • [LIFTING BEAMS](#)

## QUICK RELEASE SHACKLES



- Up to 10t SWL
- Ground release operation
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** [WIRE ROPES](#) • [SHACKLES](#) • [FIBRE SLINGS](#) • [LIFTING BEAMS](#)





## RACK AND PINION HOIST



- 300kg to 500kg SWL (larger hoists on request)
- Suits multiple level access
- Multiple level gates supplied
- Various size platforms available
- Fully installed
- Free site survey available
- Report of Thorough Examination supplied

**PRODUCT LINK:** *BOGEYS • SKATES • SKOOTS • PALLET TRUCKS  
RUBBLE TRUCK*

# HOISTING

## NEED AN ACCOUNT?

**CALL:**

**01375 807 643**

**or**

**01322 941 407**

**EMAIL:**

**[info@hudsonlifting.co.uk](mailto:info@hudsonlifting.co.uk)**

**Account form can be  
found on page 56**



# HAULING



Lift/Pulling Machines  
Hydraulic Lift/Pulling Machines  
Winches  
Snatch/Reeving Blocks  
Cable Drum Trailer  
Capstan Winch  
Cable Rollers




## LIFT/PULLING MACHINES



- 0.8t - 5t SWL
- Suitable for lifting and hauling operations
- Unlimited rope lengths available
- Report of Thorough Examination supplied

**PRODUCT LINK:** *SLINGS • SHACKLES • LOAD MEASUREMENT*

## HYDRAULIC LIFT/PULLING MACHINES



- 1.6t - 5t SWL
- Suitable for lifting and hauling operations
- 415V or petrol driven
- Unlimited rope lengths available
- Multi unit operation available if required
- Report of Thorough Examination supplied

**PRODUCT LINK:** *SLINGS • SHACKLES • LOAD MEASUREMENT*

## WINCHES



- 0.5t - 10t SWL
- Pneumatic, Electric
- Diesel and petrol powered
- Heavy duty
- Lifting and hauling operations
- Report of Thorough Examination supplied

**PRODUCT LINK:** *SLINGS • SHACKLES • LOAD MEASUREMENT • CABLE ROLLERS*




## SNATCH/REEVING BLOCKS




- For use with varying diameters of wire rope
- Increases lifting/hauling capacity
- Enables the direction of lift/haul to be changed
- Report of Thorough Examination supplied

**PRODUCT LINK: SLINGS • SHACKLES • LOAD MEASUREMENT**


1.1) LIFTING – machine anchored above load




1.2) LIFTING – machine anchored to load



1.3) LIFTING – machine anchored at ground level




2.1) PULLING – Case No 1



2.2) PULLING – Case No 2



2.3) PULLING – machine attached to load



## CABLE DRUM TRAILER



- Equipped with a manual hydraulic pump to lift up to 2350kg payload
- Road towable
- 1280mm maximum drum width
- 2500mm maximum drum diameter
- 1060mm minimum drum diameter
- 76mm spindle diameter

**PRODUCT LINK:** WINCHES • TIRFOR • CABLE ROLLERS

## CAPSTAN WINCH



- For telecommunications cabling and sub duct work
- Pulls up to 3000kg of line
- Line speeds of 0 -12m/min @3000kg and 0 - 30m/min @ 1000kg
- 15.5hp water cooled diesel engine

**PRODUCT LINK:** CABLE TRAILER • CABLE ROLLERS

## CABLE ROLLERS



A wide variety of cable rollers to guide and protect cables during pulling operations;

- Cable rollers
- Triple corner rollers
- Manhole rollers

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** CABLE TRAILER • WINCHES • CAPSTAN WINCH • TIRFORS





# JACKING



Hydraulic Rams  
Hydraulic Pumps and Hoses  
Manifolds  
Gauge  
Electric Pump  
Hydraulic Jacks  
Ratchet Toe Jacks  
Cable Drum Jacks  
Trolley Jacks  
Torque Equipment



## HYDRAULIC RAMS



- Up to 500t SWL
- Varying sizes available
- Hi-flow coupling operation
- Single acting, double acting, low height screwed and hollow models available
- Can be used in multiples to suit requirements
- Report of Thorough Examination supplied

**PRODUCT LINK:** [HYDRAULIC JACKS](#) • [PUMPS & HOSES](#) • [GAUGE](#) • [LOAD MEASUREMENT](#) • [PALLET TRUCKS](#)

## HYDRAULIC PUMPS AND HOSES



- Hand & powered operation
- Choice of oil capacity
- Portable
- Multi-ram operation available if required
- Report of Thorough Examination supplied

**PRODUCT LINK:** [HYDRAULIC RAM](#) • [GAUGE](#) • [LOAD MEASUREMENT](#) • [PALLET TRUCKS](#)

## MANIFOLDS



- For use with multiple ram applications
- Enables synchronised lifting from a single pump
- Various sizes available up to 8 ports

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** [HYDRAULIC RAM](#) • [HYDRAULIC PUMP & HOSES](#)





## GAUGE



- Allows constant pressure monitoring
- Accurate to  $\pm 1\%$  of full scale
- Sizes to suit various applications

**PRODUCT LINK:** [HYDRAULIC RAM](#) • [HYDRAULIC PUMP & HOSES](#)

## ELECTRIC PUMP



- Various power set ups available
- Battery power, 240V and 110V available
- Various reservoir sizes available for multiple ram set ups
- Available with manual valve load holding feature
- Externally adjustable pressure relief valve

**PRODUCT LINK:** [HYDRAULIC RAM](#) • [HOSES](#) • [GAUGE](#) • [MANIFOLDS](#)

## HYDRAULIC JACKS



- 0.5 - 10t SWL
- Heavy duty
- Lifting and hauling application
- Report of Thorough Examination supplied

**PRODUCT LINK:** [HYDRAULIC RAMS](#) • [LOAD MEASUREMENT](#) • [SKOOTS](#)



## RATCHET TOE JACKS



- Up to 20t SWL
- Portable
- Heavy duty
- Report of Thorough Examination supplied

**PRODUCT LINK:** [HYDRAULIC RAMS](#) • [LOAD MEASUREMENT](#) • [SKOOTS](#)

## CABLE DRUM JACKS



- Up to 10t SWL
- Adjustable in height
- Robust construction
- A heavy duty aid for cable laying
- Report of Thorough Examination supplied

**PRODUCT LINK:** [HYDRAULIC JACKS](#) • [HYDRAULIC RAMS](#) • [HAULING](#)

## TROLLEY JACKS



- Up to 6t SWL
- Smooth lift operation
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** [HYDRAULIC JACKS](#) • [HYDRAULIC RAMS](#) • [HAULING](#)



## TORQUE EQUIPMENT



### TWS-N Hydraulic Torque Wrench Range Overview

These lightweight aluminium hydraulic torque wrenches are designed to handle the toughest bolting jobs accurately and quickly. All models provide a torque accuracy of +/- 3%. The internal reaction arm spline allows the

operator to easily position the tool and, if necessary, react directly off the tool body in very confined access applications. All models incorporate an easily reversible high grade alloy steel square drive enabling the operator to quickly switch from tightening to loosening applications. Uni-Swivel quick release couplers are fitted as standard to all models enabling easy positioning of the hydraulic hoses away from any possible "pinch points".

The tools range from a torque capacity of 1,727 Nm at 700 Bar (1,254 lbf.ft) right through to 36,992 Nm at 700 Bar (26,860 lbf.ft) with the square drive sizes moving through from ¾ to 2-½.

For further information on job specific requirements please call 01375 807 643 or 01322 941 307 to discuss.




# GENERAL TACKLE



Chain Slings  
Fibre Slings  
Wheel Barrow Chain Slings  
Wire Rope Slings  
Round Slings  
Flat Webbing Slings  
Shackles



## CHAIN SLINGS



- Up to 67t SWL
- Available from 7mm to 32mm construction
- Complete range of hooks available
- Unlimited leg length
- Report of Thorough Examination supplied

**PRODUCT LINK:** [WIRE ROPE SLINGS](#) • [SHACKLES](#) • [FIBRE SLINGS](#) • [LOAD MEASUREMENT](#)

### ADVICE FOR USE

#### DO

- check the condition of the slings before use
- check the chain legs are not twisted
- check that the load is on the centre of the hook and not the tip

#### DO NOT

- do not carry out self repairs
- do not use the slings over the permissible limit
- do not shock load
- do not use chain and accessories outside of temperature range -40°C and +200°C

	Number of Legs						
	1	2		3		4	
ANGLE	90°	0°- 45°	45°- 60°	0°- 45°	45°- 60°	0°- 45°	45°- 60°
FACTOR	1	1.4	1	2.1	1.5	2.1	1.5
7mm	1.50	2.12	1.50	3.15	2.24	3.15	2.24
8mm	2.00	2.80	2.00	4.25	3.00	4.25	3.00
10mm	3.15	4.25	3.15	6.70	4.75	6.70	4.75
13mm	5.30	7.50	5.30	11.20	8.00	11.20	8.00
16mm	8.00	11.20	8.00	17.00	11.80	17.00	11.80
20mm	12.50	17.50	12.50	26.50	19.00	26.50	19.00
22mm	15.00	21.20	15.00	31.50	22.40	31.50	22.40
26mm	21.20	30.00	21.20	45.00	31.50	45.00	31.50
32mm	31.50	45.00	31.50	67.00	47.50	67.00	47.50



## FIBRE SLINGS (FLAT)

- Up to 30t SWL
- Supplied in 1m increments
- Safety factor 7:1
- Protective sleeves available
- Lightweight and flexible
- Report of Thorough Examination supplied

**PRODUCT LINK:** SHACKLES • HOISTING • HAULING

## FIBRE SLINGS (ROUND)



- Up to 30t SWL
- Supplied in 1m circumference increments
- Safety factor 7:1
- Protective sleeves available
- Lightweight and flexible
- Report of Thorough Examination supplied

**PRODUCT LINK:** SHACKLES • HOISTING • HAULING

## WHEEL BARROW CHAIN SLINGS



- 0.5t SWL
- Easy to use
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** SHACKLES • HOISTING • HAULING •  
LOAD MEASUREMENT






## WIRE ROPE SLINGS



- Up to 100t SWL
- Available in 1m increments up to 30m
- Report of Thorough Examination supplied



**PRODUCT LINK: SHACKLES • HOISTING • HAULING • LOAD MEASUREMENT**

## ROUND SLINGS

Including colour coded range, woven stripe, showing safe working load, 1 stripe = 1 tonne  
Available with Tetra and heavy duty sleeve cover  
Manufactured to EN1492-2 as applicable

## FLAT WEBBING SLINGS

Including colour coded range, soft eye and metal end fitting rings  
AL1, AL 2, AL3, AL4, AL5  
Duplex manufactured to EN1492-1 as applicable

Sling Type					Working Load Limit					
Webbing				Round	Colour	Straight	Chocked	Parallel Lift	B = 0-45°	B = 45-60°
Duplex	Width	Endless	Width	R1		M = 1	M = 0.8	M = 2	M = 1.4	M = 1
D1	30	E1	30	R1	Violet	1	0.8	2	1.4	1
D2	60	E2	60	R2	Green	2	1.6	4	2.8	2
D3	90	E3	90	R3	Yellow	3	2.4	6	4.2	3
D4	120	E4	120	R4	Grey	4	3.2	8	5.6	4
D5	150			R5	Red	5	4	10	7	5
D6	180			R6	Brown	6	4.8	12	8.4	6
D8	240			R8	Blue	8	6.4	16	11.2	8
D10	300			R10	Orange	10	8	20	14	10
				R12	Orange	12	9.6	24	16.8	12
				R15	Orange	15	12	30	21	15
				R20	Orange	20	16	40	28	20
				R25	Orange	25	20	50	35	25
				R30	Orange	30	24	60	42	30


M = Mode Factor for symmetrical Loading. Handling tolerances for slings indicated as vertical. These colours reflect the new British & European Standards. BS EN 1492-1:2000. BS EN 1492-2:2000. All capacities are in tonnes.

The colours used are indications of strength and do not indicate the material from which it is made





# LARGE DEE SHACKLES C/W TYPE A SCREW COLLAR PIN



- Meets the performance requirements of the withdrawn standard BS3032
- Material: Carbon steel C45
- Self coloured and hot dipped galvanised finish available
- Proof load tested to 4 times the W.L.L.
- Minimum breaking load is 4 times the W.L.L.
- Marked with manufacturers mark, size, ID mark and W.L.L.
- Report of Thorough Examination supplied

Code Self Colour	Code Galvanised	W.L.L (tonnes)	A (inches)	B (inches)	C (inches)	D (inches)	E (inches)	Weight (kg/each)
B0101	-	0.25	1/4	3/8	1/2	1	1/4	0.10
B0102	B0201	0.50	3/8	1/2	3/4	1 1/2	1	0.12
B0103	B0202	0.75	1/2	5/8	1 1/8	2 1/8	1 1/4	0.29
B0104	B0203	1.50	5/8	3/4	1 1/4	2 1/2	1 1/2	0.57
B0105	B0204	2.00	3/4	7/8	1 1/2	2 7/8	1 3/4	0.92
B0106	B0205	3.00	7/8	1	1 3/4	3 1/4	2	1.59
B0107	B0206	3.75	1	1 1/8	2	3 3/4	2 1/4	2.12
B0108	B0207	5.00	1 1/8	1 1/4	2 1/8	4 1/8	2 1/2	3.18
B0109	B0208	6.00	1 1/4	1 3/8	2 3/8	4 1/2	2 3/4	4.54
B01010	B0209	7.00	1 3/8	1 1/2	2 5/8	5	3	6.06
B01011	B02010	9.50	1 1/2	1 3/4	2 3/4	5 3/8	3 1/2	8.74


How can we help?

T: 01375 807 643 or 01322 941 407

E: [info@hudsonlifting.co.uk](mailto:info@hudsonlifting.co.uk)



## GREEN PIN STANDARD BOW SHACKLES WITH SCREW COLLAR PIN



- Grade 6 high tensile steel, quenched and tempered
- Minimum breaking load is 6 times the W.L.L.
- Conforms to EN13889 and meets the performance requirements of US Fed Spec RC-C-271 Type IVA class 2, Grade A
- Hot dipped galvanised
- Temperature range -20°C up to +200°C
- Supplied with proof load certificate, material certificate available on request

Code	W.L.L (tonnes)	a (mm)	b (mm)	c (mm)	d (mm)	e (mm)	f (mm)	g (mm)	h (mm)	i (mm)	j (mm)	Weight (kg)
A0101	0.33	5	6	12.5	5	9.5	22	16	41	31	28	0.02
A0102	0.5	7	8	17	7	12	29	20	54	40	37	0.05
A0103	0.75	9	10	21	9	13.5	32	22	61	49	42	0.1
A0104	1	10	11	23	10	17	36.5	26	71	56	49	0.14
A0105	1.5	11	13	26	11	19	43	29	80	68	54	0.19
A0106	2	13.5	16	34	13.5	22	51	32	91	76	63	0.36
A0107	3.25	16	19	40	16	27	64	43	114	93	79	0.63
A0108	4.75	19	22	47	19	31	76	51	136	107	94	1.01
A0109	6.5	22	25	53	22	36	83	58	157	123	107	1.5
A0110	8.5	25	28	60	25	43	95	68	176	141	124	2.21
A0111	9.5	28	32	67	28	47	108	75	197	158	137	3.16
A0112	12	32	35	74	32	51	115	83	218	176	154	4.31
A0113	13.5	35	38	80	35	57	133	92	240	192	170	5.55
A0114	17	38	42	89	38	60	146	99	262	208	183	7.43
A0115	25	45	50	104	45	74	178	126	314	250	226	12.84
A0116	35	50	57	111	50	83	197	138	358	281	250	18.15
-	42.5	57	65	134	57	95	222	160	414	321	287	26.29
A0117	55	65	70	145	65	105	260	180	463	355	329	37.6

How can we help?

T: 01375 807 643 or 01322 941 407

E: [info@hudsonlifting.co.uk](mailto:info@hudsonlifting.co.uk)



# MATERIAL HANDLING



- Skoots
- Gantries
- Crane Forks
- Floor Cranes
- Roustabouts
- Vacuum Lifts
- Machine Skates
- Shiffta Conveyor
- Spreader Beams
- Block/Kerb Grabs
- Genie Material Lifts
- Bumpa/Hoddi Hoist
- Powered Stair Climber
- Glass Handling Machines



## GANTRIES



- 0.5t - 20t SWL
- Adjustable in height and width
- Report of Thorough Examination supplied

**PRODUCT LINK:** [SLINGS](#) • [CHAIN BLOCKS](#) • [GIRDER CLAMPS](#)  
[GIRDER TROLLEYS](#)

## ALUMINIUM GANTRIES



- Up to 5t SWL
- Adjustable in height
- Lightweight
- Various beam lengths available  
3m to 8m span
- Report of Thorough Examination supplied

**PRODUCT LINK:** [SLINGS](#) • [CHAIN BLOCKS](#) • [GIRDER CLAMPS](#)  
[GIRDER TROLLEYS](#)

## RUBBLE TRUCK



- Max load 750kg
- Measures 750mm (w) x 1530mm (l)  
x 930mm (h)
- 400 litre volume
- Total weight (empty) 67kg
- Report of Thorough Examination supplied

**PRODUCT LINK:** [CHAIN SLINGS](#) • [SHACKLES](#) • [RACK AND PINION](#)  
[HOIST](#) • [BUILDERS HOIST](#)



## SHEAR LEGS



- 0.5 - 3t SWL
- Adjustable in height and width
- Report of Thorough Examination supplied

**PRODUCT LINK:** *SLINGS • SHACKLES • CRANE HIRE • PALLET TRUCKS*

## BLOCK GRABS



- Up to 4t SWL
- To suit spans up to 1140mm
- Reliable automatic locking mechanism
- Report of Thorough Examination supplied

**PRODUCT LINK:** *SLINGS • SHACKLES • CHAIN BLOCKS • BUILDERS HOIST*

## CRANE FORKS



- Up to 2t SWL
- Adjustable in height and width
- Tapered forks for easy pallet pick-up
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** *SLINGS • SHACKLES • CHAIN BLOCKS • BUILDERS HOIST*



## MODULAR SPREADER BEAMS (LIFTING BEAMS)



- Up to 900t SWL
- 1m - 18m effective working lengths
- Lightweight design
- Report of Thorough Examination supplied

**PRODUCT LINK:** *SLINGS • SHACKLES • CRANE HIRE • LOAD MEASUREMENT*

## GENIE MATERIAL LIFTS



- Up to 454kg SWL
- Lifting heights available up to 25 feet
- One person operation
- Report of Thorough Examination supplied

**PRODUCT LINK:** *PALLET TRUCKS • BOGEYS • FORK EXTENSIONS*

## ROUSTABOUT MATERIAL LIFTS



- Up to 680kg SWL
- Lifting height up to 7500mm
- Dual speed winch
- One person operation
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** *PALLET TRUCKS • BOGEYS • FORK EXTENSIONS*



## PALLET TRUCKS



- Up to 3t SWL
- Highly versatile
- Robust construction
- Long reach/high lift models available
- Report of Thorough Examination supplied

**PRODUCT LINK:** SKOOTS • BOGEYS • HYDRAULIC JACKS • HYDRAULIC RAMS

## ALL TERRAIN PALLET TRUCKS



- Up to 1.5t SWL
- Ideal for uneven surfaces
- Report of Thorough Examination supplied

**PRODUCT LINK:** SKOOTS • BOGEYS • HYDRAULIC JACKS • HYDRAULIC RAMS

## POWERED PALLET TRUCKS



- Up to 2t SWL
- 110/240V charge
- Labour saving
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** SKOOTS • BOGEYS • HYDRAULIC JACKS • HYDRAULIC RAMS





## POWERED PEDESTRIAN OPERATED STACKER TRUCKS



- Up to 1.2t SWL
- 110/240V charge
- Labour saving
- Report of Thorough Examination supplied

**PRODUCT LINK:** *SKOOTS • BOGEYS • HYDRAULIC JACKS • HYDRAULIC RAMS*

## FORK LIFT ATTACHMENTS



- Up to 5t SWL
- Highly versatile
- Easy installation
- Report of Thorough Examination supplied

**PRODUCT LINK:** *CHAIN SLINGS • SLINGS • SHACKLES • POWERED PEDESTRIAN OPERATED STACKER TRUCK*

## SKIP LIFTING CRADLE



- 12t SWL
- Suitable for 8 & 12yd skips
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** *CHAIN SLINGS • SLINGS • SHACKLES • POWERED PEDESTRIAN OPERATED STACKER TRUCK*



## STONE MAGNET



- Up to 400kg SWL
- Battery powered
- For use on dense stone slabs
- Report of Thorough Examination supplied

**PRODUCT LINK:** [CHAIN SLINGS](#) • [WEBBING SLINGS](#) • [SHACKLES](#) • [PORTABLE HOISTS](#) • [ELECTRIC HOISTS](#)

## VACUUM SLAB LIFTER



- Up to 150kg SWL
- Battery powered
- For use on dense materials such as granite or high quality concrete
- Report of Thorough Examination supplied

**PRODUCT LINK:** [BLOCK GRABS](#) • [CRANE FORKS](#)

## TSZ UNI



- Large opening range
- For use with flat or conical edge kerb stones
- Lifting eye for crane hook attachment
- 500kg SWL
- Report of Thorough Examination supplied

**PRODUCT LINK:** [BLOCK GRABS](#) • [CRANE FORKS](#) • [WEBBING SLINGS](#) • [SHACKLES](#)



## MANHOLE COVER LIFTER



- Up to 3t SWL
- 2 or 4 key operation
- One man operation
- Report of Thorough Examination supplied

**PRODUCT LINK:** *BLOCK GRABS • CRANE FORKS • MAN RIDING SHEAR LEGS • GAS DETECTORS • ESCAPE SETS*

## COUNTER-BALANCED HYDRAULIC FLOOR CRANES



- Up to 1t SWL
- Telescopic lifting points
- Highly maneuverable
- Report of Thorough Examination supplied

**PRODUCT LINK:** *PORTABLE HOISTS • HAND OPERATED & ELECTRIC CHAIN BLOCKS • SLINGS • SHACKLES*

## OUT-RIGGED HYDRAULIC FLOOR CRANES



- 0.25 - 3t SWL
- Highly versatile
- Telescopic lifting points
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** *PORTABLE HOISTS • HAND OPERATED & ELECTRIC CHAIN BLOCKS • SLINGS • SHACKLES*



## MACHINE MOVING SKATES



- 6t - 100t capacity
- Available in caterpillar and nylon models
- Easy to use
- Low headroom
- Report of Thorough Examination supplied

**PRODUCT LINK:** [PALLET TRUCKS](#) • [SKOOTS](#) • [TIRFORS](#) • [WINCHES](#)

## 2 & 4 WHEEL BOGEYS



- Up to 2t SWL
- Turntable operation
- Varying platform size
- Flat top and v-shape 2 wheel bogeys also available
- Report of Thorough Examination supplied

**PRODUCT LINK:** [PALLET TRUCKS](#) • [SKOOTS](#) • [TIRFORS](#) • [WINCHES](#)

## STAIR CLIMBING TROLLEYS/SACK TRUCKS



- Up to 680kg SWL
- Highly versatile
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** [4 WHEEL BOGEYS](#) • [PALLET TRUCKS](#) • [SLINGS](#) • [SHACKLES](#)



## POWERED STAIR CLIMBERS



- Up to 500kg SWL
- Battery powered
- One man operation
- Report of Thorough Examination supplied

**PRODUCT LINK:** 4 WHEEL BOGEYS • PALLET TRUCKS •  
SLINGS • SHACKLES

## PANEL TROLLEYS



- Up to 500kg SWL
- Robust construction
- For use with glass or flat sheet materials
- Report of Thorough Examination supplied

**PRODUCT LINK:** 4 WHEEL BOGEYS • PALLET TRUCKS •  
SLINGS • SHACKLES

## SKOOTS



- Up to 5t SWL
- Hydraulic operation
- Highly maneuverable
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** 4 WHEEL BOGEYS • PALLET TRUCKS •  
SLINGS • SHACKLES

## LATTICE ROOF SHEET BEAM



- Up to 3t SWL
- Available up to 42m length in 3m sections
- Lightweight
- Report of Thorough Examination supplied

**PRODUCT LINK:** [LOAD MEASUREMENT](#) • [CRANE HIRE](#) • [SLINGS](#) • [SHACKLES](#)

## GAS BOTTLE CAGE



- Up to 6 bottle capacity
- Safe method of lifting
- Report of Thorough Examination supplied

**PRODUCT LINK:** [LOAD MEASUREMENT](#) • [CRANE HIRE](#) • [SLINGS](#) • [SHACKLES](#)

## BIGFOOT



- SWL 280kg SWL
- Max height of hook 2.6m
- Rough terrain wheels
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** [LOAD MEASUREMENT](#) • [SLINGS](#) • [SHACKLES](#)



## GEKO PV



- SWL 250kg
- Working height 2.5m
- Extendable frame accommodates a wide variety of windows and glass shapes
- Min width 618mm, fits through a standard doorway
- Hydraulic lifting and tilting powered by a 12v battery pack
- Not suitable for use in the rain
- Report of Thorough Examination supplied

**PRODUCT LINK:** [BOGEY](#)

## GEKO PV+



- SWL 250kg
- Working height 2.5m
- Extendable frame
- 100 & 300mm extensions available
- Not suitable for use in the rain
- Report of Thorough Examination supplied

**PRODUCT LINK:** [BOGEY](#)

## GEKO MRT4



- SWL 250kg
- Working height 2.65m
- Fits through standard doorway
- Not suitable for use in the rain
- Report of Thorough Examination supplied

**PRODUCT LINK:** [BOGEY](#)





## GLASSMAX 250



- SWL 250kg
- Maximum height 2.5m
- Report of Thorough Examination supplied

**PRODUCT LINK:** *SLINGS • SHACKLES • BOGEY*

## GLASSMAX 500 WITH MRT4



- SWL 500kg
- Working height 2.5m
- Maximum height 4.8m
- Report of Thorough Examination supplied

**PRODUCT LINK:** *BOGEY*

## GLASSBOY 330 & 500



- SWL 330kg/500kg
- Max height of hook 2.7m
- Hydraulic lifting arm
- Hoist not included
- Report of Thorough Examination supplied

**PRODUCT LINK:** *SLINGS • SHACKLES • ELECTRIC HOIST •  
MANUAL HOIST • ELECTRIC WINCH*



## SHIFTA CONVEYOR



- Ideal for use with stones, aggregate, soil, concrete etc.
- Maximum payload 150kg
- 5Kva 110V transformer will run four linked machines
- Max angle 50° depending on material (e.g. stones, soil etc.)
- In built belt racking and scraper (scraper front and back)
- Detachable hopper
- Report of Thorough Examination supplied

**PRODUCT LINK:** *SLINGS • SHACKLES • CHAIN BLOCKS • BUILDERS HOIST*

## BUMPA/HODDI HOIST



- Up to 10m operation
- 110V availability
- Easy installation
- Hoddi buckets available to hire/purchase
- Report of Thorough Examination supplied

**PRODUCT LINK:** *SLINGS • SHACKLES • CHAIN BLOCKS • BUILDERS HOIST*

## POWERED VACUUM LIFTERS



- Up to 1000kg SWL
- Various sizes available
- Loss of vacuum alarm
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** *CHAIN SLINGS • WEBBING SLINGS • SHACKLES • PORTABLE HOISTS • ELECTRIC HOIST*

## ELEBIA AUTO HOOK



- Failsafe Design. Impossible to drop suspended loads
- Allows you to attach and release loads remotely
- Increases productivity, safety and comfort
- Control multiple hooks with eMax remote control
- Indication of total weight and of each individual hook
- Alarms (overload, unbalanced weight...)
- Track and register every single event and operation, export data via USB to spreadsheet
- Report of Thorough Examination supplied

PRODUCT LINK: [CHAIN SLINGS](#) • [WEBBING SLINGS](#) • [SHACKLES](#)

**ALL OWN  
PURCHASE  
EQUIPMENT  
AVAILABLE FOR  
SALE AS WELL  
AS HIRE**

**MATERIAL HANDLING**



# ACCESS



- Trailer Mounted Booms
- Self-Propelled Booms
- Self-Propelled Scissor Lifts
- Genie Aerial Work Platform
- Podium Steps
- Fork Lift Truck Work Platform
- Aluminium Access Tower
- Pop-Up
- Stairway



## TRAILER MOUNTED BOOMS



- 215kg SWL
- Up to 17m working height
- 4.5m out reach
- Report of Thorough Examination supplied

**PRODUCT LINK:** [HARNESSES](#) • [LANYARDS](#)


## SELF PROPELLED BOOMS



- Specifications available upon request
- Report of Thorough Examination supplied

**PRODUCT LINK:** [HARNESSES](#) • [LANYARDS](#)

## SELF PROPELLED SCISSOR LIFTS



- Specifications available upon request
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** [HARNESSES](#) • [LANYARDS](#)



## PECO LIFT



- “Auto-lok” brake on elevation
- Lightweight, easy to manoeuvre
- Small footprint (985x700mm)
- Unlimited lift cycles, can be used 24/7
- Report of Thorough Examination supplied

**PRODUCT LINK:** *HARNESSES • LANYARDS*

## GENIE AERIAL WORK PLATFORMS



- One man operation
- Up to 12m working height
- Report of Thorough Examination supplied

**PRODUCT LINK:** *HARNESSES • LANYARDS*

## PODIUM STEPS



- Up to 1.5 platform
- One main installation
- Easily transportable
- Report of Thorough Examination supplied

**PRODUCT LINK:** *HARNESSES • LANYARDS*



## FORK LIFT TRUCK WORK PLATFORM



- Up to 2 man operation
- Safety harness anchor points as standard
- Report of Thorough Examination supplied

PRODUCT LINK: [HARNESSES](#) • [LANYARDS](#)

## ALUMINIUM ACCESS TOWER



- Single or double width span towers
- Lengths to 1.8m, 2.5m or 3m
- Widths at 0.7m and 1.35m
- SWL 272kg per platform
- Up to 900kg safe load per complete structure

PRODUCT LINK: [HARNESSES](#) • [LANYARDS](#)

## POP UP



- Max height 1.8m/2.43m/3.0m (dependent on model)
- Max wheel load 267kg

How can we help?

T: 01375 807 643 or 01322 941 407

PRODUCT LINK: [HARNESSES](#) • [LANYARDS](#)






## STAIRWAY



- Configurations of 3-15 Steps
- Manufactured to EN12811-1
- Lightweight (15 Step Model Weight 85kg)



PRODUCT LINK: [HARNESSES](#) • [LANYARDS](#)

**IPAF**  
Member

IPAF promotes the safe and effective use of powered access equipment worldwide

**Have your employees got their IPAF licences?**



# SAFETY



Safety Harnesses  
Temporary Safety Lines  
Fall Arrest Devices  
Man-Riding Shear Legs  
Mobile Man Anchors  
Escape Sets  
Mini Gas Detectors  
Lanyards  
Scissor Gate  
Edge Protection  
Alsipercha  
Spaghetti Mat



## SAFETY HARNESES



- Fully adjustable harnesses
- Fitted with rear 'D' ring as standard
- Arrest & restraint lanyards available
- Accreditation to EN361
- Report of Thorough Examination supplied

**PRODUCT LINK:** *FALL ARREST DEVICE • MAN RIDING SHEAR LEGS*

## TEMPORARY HORIZONTAL SAFETY LINE



- Available up to 20m
- Ratchet tensioning
- Soft edge cut resistant polyester webbing
- Simple & easy installation
- Report of Thorough Examination supplied

**PRODUCT LINK:** *FALL ARREST DEVICE • MAN RIDING SHEAR LEGS*

## FALL ARREST DEVICE



- Available up to 30m
- Fail safe locking mechanism
- Robust & compact
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** *HARNESSES • ESCAPE SETS • GAS DETECTOR • HORIZONTAL SAFETY LINE*



## MAN-RIDING SHEAR LEGS



- For man-riding/man-rescue operations
- Available up to 30m
- Compliant to current legislation
- Report of Thorough Examination supplied

**PRODUCT LINK:** *HARNESSES • ESCAPE SETS • GAS DETECTOR • HORIZONTAL SAFETY LINE*

## MOBILE MAN ANCHORS



- Fully CE approved
- Compact & easily assembled
- Suitable for use on flat or pitched roofs
- Report of Thorough Examination supplied

**PRODUCT LINK:** *HARNESSES • FALL ARREST DEVICE • MAN RIDING SHEAR LEGS*

## ESCAPE SETS



- Positive pressure escape sets
- 10 mins compressed air supply
- Approved to EN402
- Easy to use
- Report of Thorough Examination supplied

**PRODUCT LINK:** *HARNESSES • FALL ARREST DEVICE • MAN RIDING SHEAR LEGS*




## MINI GAS DETECTOR



- 4 gas detection
- Easy to use
- IP65 rated
- Acoustic/visual/vibration alarm
- Atex zone 2 rated
- Report of Thorough Examination supplied

**PRODUCT LINK:** *HARNESSES • FALL ARREST DEVICE • MAN RIDING SHEAR LEGS*

## EZ LINE TEMPORARY SAFETY LINE



- Temporary lifeline system for multi user application
- Designed for two users in fall restraint or fall arrest
- Easy adjustment up to 12m span
- Report of Thorough Examination supplied

**PRODUCT LINK:** *HARNESSES • LANYARDS*

## LANYARDS



- Various connectors available
- Standard length 2m
- Single or twin leg available
- Shock absorber or restraint
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** *HARNESSES • ESCAPE SETS • GAS DETECTOR • HORIZONTAL SAFETY LINE*





## SCISSOR GATE



- Versatile Gate Connections Available
- Puncture Proof Tyres
- 300mm – 2300mm Extension (Per Gate)
- 800mm Wide for Stability
- Manufactured from Coated Steel

**PRODUCT LINK:** *PPE*

## EDGE PROTECTION



- Multiple Components to provide systemised protection that conforms to EN13374 Class A
- Solutions for Drilling, Clamping, Cast-In, Formwork and Free-Standing application requirements.

**PRODUCT LINK:** *PPE*

## ALSIPERCHA



- Available in Standard or Light-weight models
- Easy to assemble and use: no external accessories are required
- Designed to prevent falls during the decking operation

**PRODUCT LINK:** *HARNESSES • FALL ARREST DEVICE*



## SPAGHETTI MAT



- Springy design provides comfort underfoot.
- Can be used on most surfaces and is easily cut to size.
- Available in 12m L x 1.22 m W
- Specially designed non-absorbent thermally bonded PVC
- Available in red, yellow, green & grey

**PRODUCT LINK:** [PPE](#)

## FORM-A-LIGHT



- Temporary work-zone lighting is imperative for all low light environments
- Allows progression of works safely and efficiently in darker conditions, helping to keep projects on time
- Battery operated, it removes the need for any external power supply, cabling or mechanical lifting

**PRODUCT LINK:** [PPE](#)

## PPE - Hudson Lifting can also provide Personal Protective Equipment (P.P.E) covering all Industry types



- Eye protection
- Head protection
- Hand protection
- Safety footwear
- Work wear and weather wear






# LOAD MEASUREMENT



Digital Load Indicators  
Compressive Load Indicators  
Test Weights  
Test Cradles



## DIGITAL LOAD INDICATORS



- Up to 100t SWL
- Remote readout available
- Compact & lightweight
- Accuracy  $\pm 0.2\%$  of normal capacity
- Report of Thorough Examination supplied

PRODUCT LINK: [SHACKLES](#) • [HOISTING](#) • [HAULING](#)


## COMPRESSIVE LOAD INDICATORS



- Up to 100t SWL
- Hand held read out
- Robust & compact
- Report of Thorough Examination supplied

PRODUCT LINK: [HYDRAULIC RAMS](#) • [HYDRAULIC JACKS](#)

## TEST WEIGHTS



- Wide range available
- Transportation supplied
- Report of Thorough Examination supplied

How can we help?

T: 01375 807 643 or 01322 941 407

PRODUCT LINK: [SLINGS](#) • [LOAD MEASUREMENT](#) • [PALLET TRUCKS](#) • [BOGEYS](#) • [CRANE HIRE](#)



## TEST CRADLES



- Wide range available
- Full specifications upon request
- Report of Thorough Examination supplied



**PRODUCT LINK:** *SLINGS • LOAD MEASUREMENT • PALLET TRUCKS • BOGEYS • CRANE HIRE*

## PROOF LOAD TEST & CERTIFICATION



**Prices subject to specification  
call 01375 807 643 or 01322 941 407 to discuss**

**LOAD MEASUREMENT**





# MAN CRADLES & CRANES



Man-Riding Cradles  
Crane Skips  
G20 Pick and Carry Crane  
Spider Mini Crane  
Roto Telehandler  
Crane Hire & Contract Lifts



## MAN-RIDING CRADLES/STRETCHER CAGE



- Up to 1t SWL or 4 men
- Variety of sizes/models available
- Compliant to current legislation
- Report of Thorough Examination supplied

**PRODUCT LINK:** [HARNESSES](#) • [CRANE HIRE](#) • [SLINGS](#) • [SHACKLES](#)

## CRANE SKIPS



- Up to 2000L capacity
- Master flow, geared, rollover & funnel types available
- Report of Thorough Examination supplied

**PRODUCT LINK:** [HARNESSES](#) • [CRANE HIRE](#) • [SLINGS](#) • [SHACKLES](#)

## G20 PICK AND CARRY CRANE



- Up to 2t SWL
- Small and compact
- Ideal for curtain wall installation
- Battery powered
- Report of Thorough Examination supplied

**PRODUCT LINK:** [PORTABLE HOISTS](#) • [ELECTRIC HOISTS](#) • [SLINGS](#) • [SHACKLES](#)



## SPIDER MINI-CRANES



- Up to 1t SWL or 4 men
- Compliant to current legislation
- Report of Thorough Examination supplied

**PRODUCT LINK:** [HARNESSES](#) • [LOAD MEASUREMENT](#) • [SLINGS](#) • [SHACKLES](#)

## ROTO TELEHANDLER



- 3800kg – 6000kg SWL
- Versatile machines
- Operators available
- Various attachments available
- Call to discuss your requirements

**PRODUCT LINK:** [VACUUM LIFTERS](#) • [FORK ATTACHMENTS](#) • [PPE](#)

## CRANE HIRE & CONTRACT LIFTS



- Prices vary subject to specific requirements - please call to discuss

How can we help?

T: 01375 807 643 or 01322 941 407

**PRODUCT LINK:** [HARNESSES](#) • [LOAD MEASUREMENT](#) • [SLINGS](#) • [SHACKLES](#)

## APPLICATION FOR A NEW CREDIT ACCOUNT

COMPANY NAME:.....  
.....

PLC

LTD

Partnership

Sole Trader

Company Reg No:.....

Invoice Address:.....  
.....  
.....

Town:.....

County:.....

Postcode:.....

Telephone Number:.....

Fax Number:.....

E-mail Address:.....

BUSINESS TYPE:.....

### TRADE REFERENCES:

1. Name & Address

Tel. No.

2. Name & Address

Tel. No.

**Signed:**

**Print:**

**Date:**

The company's terms and conditions of hire and general conditions of business are shown on our website and once you have completed this form we will carry out a full credit search of your company and you have signed to this procedure and our terms and conditions of trade.

**PLEASE EMAIL BACK TO: [info@hudsonlifting.co.uk](mailto:info@hudsonlifting.co.uk)**





# Hudson Lifting Limited Product Index (A-Z)

2 & 4 Wheel Bogeys	32	Lever Operated Hoists	5
Air Operated Hoists	5	Lift/Pulling Machines	10
All terrain Pallet Trucks	28	Machine Moving Skates	32
Alsipercha	48	Man-Riding Cradles/Stretcher Cage	54
Aluminium Access Tower	42	Man-Riding Shear Legs	46
Aluminium Gantries	25	Manhole Cover Lifter	31
Bigfoot	34	Manifolds	14
Block Grabs	26	Mini Gas Detector	47
Builders Hoist	7	Mobile Man Anchors	46
Bumpa/Hoddi	37	Modular Spreader Beams (Lifting Beams)	27
Cable Drum Jacks	16	Out-Rigged Hydraulic Floor Cranes	31
Cable Drum Trailer	12	Pallet Trucks	28
Cable Rollers	12	Panel Trolleys	33
Capstan Winch	12	Peco Lift	41
Chain Slings	19	Plate Lifting Clamps	7
Compressive Load Indicators	51	Podium Steps	41
Counter-Balanced Hydraulic Floor Cranes	31	Pop Up	42
Crane Forks	26	Portable Hoists – Minifors	4
Crane Hire & Contract Lifts	55	Powered Pallet Trucks	28
Crane Skips	54	Powered Pedestrian Operated Stacker trucks	29
Digital Load Indicators	51	Powered Stair Climbers	33
Edge Protection	48	Powered Vacuum Lifters	37
Elbia Auto Hook	38	PPE	49
Electric Chain Blocks	4	Proof Load Test& Certification	52
Electric pump	15	Quick release Shackles	7
Escape Sets	46	Rack and Pinion Hoist	8
EZ Line Temporary Safety Line	47	Ratchet Toe Jacks	16
Fall Arrest Device	45	Roto Telehandler	55
Fibre Slings (Flat)	20	Roustabout Material Lifts	27
Fibre Slings (Round)	20	Rubble Truck	25
Fork Lift Attachments	29	Safety Harnesses	45
Fork Lift Truck Work Platform	42	Scaffold Hoist	6
Form-A-Light	49	Scissor Gate	48
G20 Pick and Carry Crane	54	Self Propelled Booms	40
Gantries	25	Self Propelled Scissor Lifts	40
Gas Bottle Cage	34	Shear Legs	26
Gauge	15	Shiffa Conveyor	37
Geko MRT4	35	Skip Lifting Cradle	29
Geko PV	35	Skoots	33
Geko PV+	35	Snatch/Reeving Blocks	11
Genie Aerial Work Platforms	41	Spaghetti Mat	49
Genie Material Lifts	27	Spider Mini-Cranes	55
Girder Clamps	6	Stair Climbing Trolleys/Sack Trucks	32
Girder Trolleys (push/geared)	6	Stairway	43
Glassboy 330 & 500	36	Stone Magnet	30
Glassmax 250	36	Temporary Horizontal Safety Line	45
Glassmax 500 with MRT4	36	Test Cradles	52
Green Pin Standard Bow Shackles with		Test Weights	51
Screw Collar Pin	23	Tirak Mobile Winch	5
Hand Operated Chain Blocks	4	Torque Equipment	17
Hydraulic Jacks	15	Trailer Mounted Booms	40
Hydraulic Lift/Pulling Machines	10	Trolley Jacks	16
Hydraulic Pumps and Hoses	14	TSZ UNI	30
Hydraulic Rams	14	Vacuum Slab Lifter	30
Lanyards	47	Wheel Barrow Chain Slings	20
Large Dee Shackles c/w Type A		Winches	10
Screw Collar Pin	22	Wire Rope Slings	21
Lattice Roof Sheet Beam	34		



# HUDSON

## LIFTING LIMITED

material handling solutions

### EAST TILBURY

Unit 71, Thames Ind Park,  
Princess Margaret Road,  
East Tilbury, Essex  
RM18 8RH

**Tel. 01375 807 643**

### KENT

20 Applegarth Drive,  
Questor,  
Dartford, Kent  
DA1 1JD

**Tel. 01322 941 407**

### HEATHROW

Unit 11, Chancerygate Business  
Centre, Horton Close,  
West Drayton, Middx  
UB7 8EW

**Tel. 01895 541 049**

### PORTSMOUTH

Unit 7A, Railway Triangle,  
Walton Road,  
Portsmouth, Hants  
PO6 1TN

**Tel. 023 9200 3068**

[info@hudsonlifting.co.uk](mailto:info@hudsonlifting.co.uk)  
[www.hudsonlifting.co.uk](http://www.hudsonlifting.co.uk)